



HI-TENSILE™

ALUMINUM SOFFIT & DELUXE™ FASCIA



Impeccable Style with Easy Upkeep




GENTEK®

HI-TENSILE™

ALUMINUM SOFFIT
& DELUXE™ FASCIA

HI-TENSILE SOFFIT AND DELUXE™



Bright White Linen Sandstone Almond

HIGHER EXPECTATIONS... EXTRAORDINARY RESULTS

Industry-leading technology and innovation. Craftsmanship unrivaled in quality and performance. Outstanding products. Impeccable service. The confidence and trust of every customer, every day.

For more than 50 years, Gentek Building Products has manufactured siding and accessories in beautiful styles and exquisite colors. With durable finishes that are easy to maintain. Backed by warranties that deliver lasting protection and excellent value. Giving you the expertise and personal touch – that make us truly a part of your home.



Hi-Tensile™ Soffit

12" T-4
Solid

12" T-4
Center Vented


12" T-4
Fully Vented

16" Quad-4
Solid


16" Quad-4
Center Vented

Deluxe™ Fascia

8" and 6"



E FASCIA COLOR PALETTE



*Available in 16" only. **Available in 12" only.

ENDURING ELEGANCE Expert craftsmanship and high-performance materials bring superior style and strength to our Hi-Tensile aluminum soffit and Deluxe fascia.



ESSENTIAL VENTILATION

Properly installed soffit and fascia promote directional air movement through the eaves and rafters of your home. It eliminates moisture that can cause rotting and decay of the roof's structure, helping your home to stay in great shape inside and out.

SUPERIOR APPEARANCE AND PERFORMANCE

Featuring an exceptionally durable finish, Hi-Tensile soffit is made from a specially formulated alloy that performs like a heavier gauge material.

- Soffit panels are roll formed from a commercial-grade aluminum alloy sheet and coated with protective layers, including a corrosion-resistant formula and a thermosetting polyester coat
- Substantial 1/2" V-groove increases structural integrity
- Low-luster, satin finish provides excellent resistance to surface marring and scuffing
- Will never rot, peel or flake like painted or stained wood – requires minimal upkeep

INCREASED TENSILE STRENGTH

Tensile strength, which is the amount of stress a material can withstand, plays an important role in the durability and performance of residential soffit. Measured in thousands of pounds of force per square inch (KSI), tensile strength data provides a simple way to compare the performance of one soffit to the next.

Tensile Strength Is Determined With Two Measurements:

Ultimate Tensile Strength is the maximum force (tension, compression or shearing) applied to a material that results in material failure, such as cracking, splitting and deforming.

Yield Tensile Strength is the force (tension, compression or shearing) that is applied to a material and results in some type of material deformity; the material does not fail and it may return to its normal shape when the force is removed.

The chart below makes it easy to see that Hi-Tensile aluminum soffit systems deliver increased tensile strength compared to a competitive brand.

Soffit Systems Performance Comparison

12" T-4 / 16" Q-4 Aluminum Soffit	Material and Hardness Rating	Nominal Gauge	Ultimate Tensile Strength (UTS)	Yield Tensile Strength (YTS)
Hi-Tensile Aluminum Soffit	Aluminum Alloy 3105 H28	0.016	32,000 pounds per square inch	27,000 pounds per square inch
Competitive Brand	Aluminum Alloy 3105 H26	0.019	28,000 pounds per square inch	24,000 pounds per square inch



Impressive Results!

Gentek Hi-Tensile .016 gauge soffit delivers 14.3% higher Ultimate Tensile Strength and 12.5% higher Yield Tensile Strength than a competitive .019 gauge soffit.

DELUXE FASCIA

Deluxe fascia features a beautifully protective Poly coating that's built to last. Its low-luster finish and smooth texture will enhance the hard-to-reach trim areas of your home with classic good looks.

COLOR MATCHING MADE SIMPLE



No need to settle for siding and trim that "almost match." Our Color Clear Through® collection of customer-preferred colors ensures that all Gentek products – siding, soffit, fascia, trim and rainware – will beautifully match throughout our vinyl, aluminum and steel product lines.

ENVIRONMENTALLY FRIENDLY

Eco-friendly aluminum building products are produced from material that is at least 90% recycled aluminum. At the end of their long, useful life, aluminum siding products are 100% recyclable.¹

¹LEED® Fact Sheet, Aluminum Sheet & Plate for the Building & Construction Market, Aluminum Association, Inc.





A WORD ABOUT QUALITY

Gentek delivers the confidence and value only a true leader can provide. We proudly stand behind our products with the full faith of our more than 50 years of manufacturing expertise and some of the strongest warranties in the industry. Our voluntary participation in rigorous quality certifications and independent testing are further assurance you have made an excellent selection for your home.

A LIFETIME OF PROTECTION

Gentek Hi-Tensile aluminum soffit and Deluxe fascia are backed by a lifetime limited, non-prorated, transferable warranty. For complete warranty information, including limitations, ask your dealer for a copy of the Gentek Hi-Tensile aluminum soffit and Deluxe fascia warranty.



DETAILS THAT MAKE THE DIFFERENCE

Accentuate the architecture of your home with TrimEssentials by Gentek® exterior trim and accessories. Exquisitely crafted window and door surrounds, fluted lineals, corner posts and other accents – as well as decorative shakes and scallops – will give your home personality and style.



BUILT FOR YOU... GENTEK WINDOWS AND PATIO DOORS!

For your total home solution, choose Gentek replacement windows and patio doors. Best-in-class technology merged with enduring beauty, superior energy savings, easy upkeep and excellent value make it the ideal choice for today's homes. See your Gentek Sales Representative for details.



3773 State Road, Cuyahoga Falls, Ohio 44223
www.gentekinc.com

Make us a part of your home.



Colors are reproduced by lithographic process and may vary slightly from colors of actual product. Product specifications are subject to change without prior notice. USGBC and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

9831-355/7-19/5M OP © 2019, Gentek Building Products, Inc. Printed in the U.S.A.

Please recycle. 